

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	82392	compress\$4 near4 (cache\$5 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:22
L2	288	1 and 709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:23
L3	273	2 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:23
L4	52851	compress\$4 near2 (cache\$5 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:22
L5	226	4 and 709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:25
L6	216	5 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:23
L7	282	1 same ((select\$4 choos\$4) near3 (level rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:24
L8	3	7 and 709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:26

## EAST Search History

L9	12	7 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:42
L10	650	compress\$3 near4 based near4 condition\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:42
L11	333	compress\$3 near2 based near4 condition\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:48
L12	2	11 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 10:42
L13	256	determin\$4 near10 data near10 cacheable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:47
L14	0	11 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:48
L15	0	10 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:48
L16	0	10 and cacheable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:48

## EAST Search History

L17	2	"20050188112"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L18	2	("6535485" "6505239").pn.	USPAT	OR	OFF	2007/06/12 12:55
L19	1	"20030039398"	US-PGPUB	OR	OFF	2007/06/12 12:55
L20	3	L18 L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L21	478	compress\$4 near5 (base\$2 determin\$4) near5 bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L22	389	L21 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L23	49	L21 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L24	42	L23 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L25	4	dynamic near10 (select\$4 choos\$4) near10 bandwidth near10 compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L26	256	determin\$4 near10 data near10 cacheable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55

## EAST Search History

L27	22	L13 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L28	21	L27 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L29	1	determin\$4 near10 data near10 cacheable near10 (compress\$4 shrink\$4 encod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L30	3	determin\$4 near10 data near10 cacheable same (compress\$4 shrink\$4 encod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L31	666	determine near10 load near10 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L32	514	determine near10 amount near10 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L33	1078	L31 L32	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55
L34	440	L33 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L35	440	L33 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55

## EAST Search History

L36	376	L35 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L37	9	L31 and L32	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55
L38	1154399	throughput naer3 test	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55
L39	14261	L38 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L40	194	L33 and L39	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55
L41	169	L36 and L39	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55
L42	1763	throughput near3 test	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55
L43	37	L42 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L44	34	L43 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L45	11	L44 and compress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L46	907	determine near10 amount near10 request\$4	US-PGPUB; USPAT	OR	OFF	2007/06/12 12:55
L47	151	L46 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55

## EAST Search History

L48	51	L47 and compress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L49	40	L48 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L50	14	L46 same compress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L51	40	L49 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L52	14	L50 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L53	675	709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L54	634	L53 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L55	367	L54 and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55

## EAST Search History

L56	2	"20050086383"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L57	340	compress\$4 near10 (bandwidth and cache\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L58	313	L57 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L59	26	compress\$4 near10 (bandwidth and cacheable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L60	675	709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L61	800	370/477.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L62	1459	L60 L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L63	31	L57 and L62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55

## EAST Search History

L64	31	L63 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L65	3	L59 and L62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L66	800	370/477.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L67	675	709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L68	1459	L67 L66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L69	11	L68 and cacheable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 12:55
L70	675	709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 14:24
L71	800	370/477.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 14:25



## EAST Search History

L72	1459	70 71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 14:25
L73	2	72 and (request\$3 adj2 data adj3 cacheable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 14:26
L74	1	72 and (dynamic\$4 adj2 select\$3 adj3 level adj3 compression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 14:30
L75	2	72 and (specifi\$3 adj3 level adj3 compress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 14:31
S1	2	"20050188112"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 09:43
S2	2	("6535485" "6505239").pn.	USPAT	OR	OFF	2006/08/10 13:18
S3	1	"20030039398"	US-PGPUB	OR	OFF	2006/08/10 13:19
S4	3	S2 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:09
S5	415	compress\$4 near5 (base\$2 determin\$4) near5 bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:45
S6	352	S5 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 10:46

## EAST Search History

S7	43	S5 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 13:21
S8	38	S7 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 13:21
S9	4	dynamic near10 (select\$4 choos\$4) near10 bandwidth near10 compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 13:20
S10	217	determin\$4 near10 data near10 cacheable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 13:23
S11	20	S10 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:17
S12	19	S11 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:13
S13	1	determin\$4 near10 data near10 cacheable near10 (compress\$4 shrink\$4 encod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 13:26
S14	2	determin\$4 near10 data near10 cacheable same (compress\$4 shrink\$4 encod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:12

## EAST Search History

S15	561	determine near10 load near10 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:13
S16	442	determine near10 amount near10 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:13
S17	921	S15 S16	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:17
S18	362	S17 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:13
S19	362	S17 and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:13
S20	324	S19 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:10
S21	8	S15 and S16	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:57
S22	1058674	throughput naer3 test	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:18
S23	12376	S22 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:18
S24	166	S17 and S23	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:18
S25	151	S20 and S23	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:18
S26	1507	throughput near3 test	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:18

## EAST Search History

S27	33	S26 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:57
S28	31	S27 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 13:48
S29	8	S28 and compress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:19
S30	787	determine near10 amount near10 request\$4	US-PGPUB; USPAT	OR	OFF	2006/08/11 14:58
S31	135	S30 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:57
S32	46	S31 and compress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:58
S33	39	S32 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:58
S34	12	S30 same compress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:58
S35	39	S33 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:58

## EAST Search History

S36	12	S34 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 14:58
S37	609	709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 13:48
S38	583	S37 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 13:48
S39	332	S38 and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 13:49
S40	2	"20050086383"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 13:20
S41	318	compress\$4 near10 (bandwidth and cache\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:12
S42	298	S41 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:12
S43	658	709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:12

## EAST Search History

S44	779	370/477.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:12
S45	1421	S43 S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:12
S46	30	S41 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:13
S47	30	S46 and (@ad<="20040210" @rlad<="20040210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:12
S48	24	compress\$4 near10 (bandwidth and cacheable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:12
S49	3	S48 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:13
S50	658	709/247.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 08:34
S51	779	370/477.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 08:34

## EAST Search History

S52	1421	S50 S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 08:34
S53	11	S52 and cacheable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 08:35